Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	225	patel near2 vip.xp. and group.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 15:44
L2	86	michael near2 day.xp. and group.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 15:44
L3	225	vip near2 patel.xp. and group.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 15:45
L4	1090	vip near2 patel.xp.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 16:04
L5	275	(313/354).CCLS.	US-PGPUB; USPAT	OR	OFF	2004/12/29 16:04
L6	1	5 and (cylinder cylindrical) near2 hollow near2 (cathod electrode)	US-PGPUB; USPAT	OR	ON	2004/12/29 16:04
L7	1	5 and (cylinder cylindrical) near2 hollow near2 (cathod$3 electrode)	US-PGPUB; USPAT	OR	ON	2004/12/29 16:05
S1	0	("5666031.pn.").PN.	US-PGPUB; USPAT	OR	OFF	2004/12/28 16:16
S2	1	"5666031".pn.	US-PGPUB; USPAT	OR	OFF	2004/12/28 16:16
S3	1	S2 and cylind$8	US-PGPUB; USPAT	OR	OFF	2004/12/28 16:18
S4	1	S2 and cylind$8 and (getter$6 gas adj bind$5)	US-PGPUB; USPAT	OR	OFF	2004/12/28 16:18
S5	1	("5043634").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/28 16:19
S6	1328	nearly adj cylindrical	JPO	OR	OFF	2004/12/28 16:46
S7	2	nearly adj cylindrical and getter$4	JPO	OR	OFF	2004/12/28 16:57
S8	3	gallitognotta near2 alessandro.in.	US-PGPUB; JPO	OR	OFF	2004/12/28 16:58
S9	2	S8 and partially	US-PGPUB; JPO	OR	OFF	2004/12/28 17:16

S10	1	"5856726".pn.	US-PGPUB; USPAT	OR	OFF	2004/12/28 17:16
S11	1	S10 and cylind$7	US-PGPUB; USPAT	OR	OFF	2004/12/28 17:36
S12	1	S10 and (niobium nickel molybdenum tantalum)	US-PGPUB; USPAT	OR	OFF	2004/12/28 17:57
S13	3848	(313/549,558,545-547,553,491,356).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/28 17:58
S14	95	S13 and (cap cup) with (electrode cathode) and (getter$5 gas adj bind$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 18:02
S15	2	"5856726".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 18:02
S16	1	S15 and getter$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 18:04
S17	1	S15 and getter$5 and internal adj coating	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 19:10
S18	2	"20030090202".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 18:25
S19	2	S18 and cylindrical adj hollow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 18:27

S20	2	S18 and cylindrical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 18:36
S21	1	S10 and (cylinder cylindrical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 18:46
S22	0	straight adj can adj electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 18:46
S23	2	straight adj can near3 electrode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 18:54
S24	65892	electrode adj can	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 18:54
S25	918	electrode adj can and lamp.ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 18:54
S26	158	electrode adj can and lamp.ab,ti. and fill.bi.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 18:55
S27	158	electrode adj can and lamp.ab,ti. and fill.bi.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 18:57

S28	1	electrode adj cup and electrode adj can and lamp.ab,ti. and fill.bi.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 18:57
S29	2	"5666031".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 19:10
S30	1	S29 and crimp$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 19:11
S31	314875	lamp.ab,ti,clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 19:11
S32	35	S31 and (cylindrical cylinder) near4 (can cup electrode cathode) and (electrode cathode) with getter$6 and (internal inside inner external outer outside) near5 (can cup electrode cathode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 19:14
S33	315	(cylindrical cylinder) near4 (electrode cathode) and (electrode cathode) with getter$6 and (internal inside inner external outer outside) near5 (can cup electrode cathode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 19:14
S34	301	(cylindrical cylinder) near4 (electrode cathode) and (electrode cathode) with getter$6 and (internal inside inner external outer outside) near5 (electrode cathode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 19:15
S35	145	(cylindrical cylinder) near4 (electrode cathode) and (electrode cathode) with getter$6 and (internal inside inner external outer outside) near4 (surface area) near5 (electrode cathode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 19:16

S36	10	(cylindrical cylinder) near4 (electrode cathode) and (electrode cathode) with getter$6 and (GETTER gas adj binding) NEAR5 (internal inside inner external outer outside) near4 (surface area) near5 (electrode cathode) and hollow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 19:57
S37	0	voltage adj regulator.ab,ti. and cathod$4 with (nickel molybdenum, tantalum niobium) and getter with (titanium, vanadium, yttrium, zirconium, niobium, hafnium tantalum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 19:58
S38	0	voltage adj regulator.ab,ti. and cathod$4 with (nickel molybdenum, tantalum niobium) and getter same (titanium, vanadium, yttrium, zirconium, niobium, hafnium tantalum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 19:59
S39	2	voltage adj regulator.ab,ti. and cathod$4 with (nickel molybdenum, tantalum niobium) and (titanium, vanadium, yttrium, zirconium, niobium, hafnium tantalum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 20:20
S40	0	voltage adj regulator.ab,ti. and cathod$4 and (titanium, vanadium, yttrium, zirconium, niobium, hafnium tantalum) with getter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 20:21
S41	0	voltage adj regulator.ab,ti. and cathod$4 and (titanium, vanadium, yttrium, zirconium, niobium, hafnium tantalum) and getter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 20:25
S42	0	voltage adj regulator.ab,ti. and (titanium, vanadium, yttrium, zirconium, niobium, hafnium tantalum) and getter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:45
S43	3	"3292026".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:44

S44	13	voltage adj regulator.bi. and (titanium, vanadium, yttrium, zirconium, niobium, hafnium tantalum) same getter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 10:46
S45	4	voltage adj regulator.bi. same (titanium, vanadium, yttrium, zirconium, niobium, hafnium tantalum) same getter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:10
S46	1	voltage adj regulator.bi. same (titanium zirconium) with (aluminum) same getter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:11
S47	2	voltage adj regulator.bi. and (titanium zirconium) with (aluminum) same getter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:15
S48	2	voltage near2 regulator.bi. and (titanium zirconium) with (aluminum) same getter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:18
S49	2	"20030090202".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:16
S50	1	S49 and group near2 transition near2 metals	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:21
S51	2	voltage near2 regulat$5.bi. and (titanium zirconium) with (aluminum) same getter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:18

S52	2	voltage near5 regulat$5.bi. and (titanium zirconium) with (aluminum) same getter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:18
S53	2	voltage near5 regulat$5.bi. and (titanium zirconium) with (aluminum) same getter$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:19
S54	48164	discharge adj device.bi. regulator.bi. and (titanium zirconium) with (aluminum) same getter$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:19
S55	2	discharge adj device.bi. and regulator. bi. and (titanium zirconium) with (aluminum) same getter$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:19
S56	33	discharge adj device.bi. and (titanium zirconium) with (aluminum) same getter$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:26
S57	1	S49 and transition near2 metals	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:21
S58	14	discharge adj device.bi. and (titanium zirconium) with (aluminum) same getter$5 not oxide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 12:50
S59	0	rheostat.bi. and (titanium zirconium) with (aluminum) same getter$5 not oxide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 11:27

S60	2	cylindrical adj hollow adj cathode same (titanium vanadium yttrium zirconium niobium hafnium tantalum (zirconium titanium) with aluminum) with (coat$5 layer$5 jacket$5 film skin plating plated sublayer sub adj layer lamina$5 overcoat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 12:55
S61	32	(cylinder cylindrical) near2 hollow near2 (cathode electrode) same (titanium vanadium yttrium zirconium niobium hafnium tantalum (zirconium titanium) with aluminum) with (coat$5 layer$5 jacket$5 film skin plating plated sublayer sub adj layer lamina$5 overcoat$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 13:22
S62	8	(cylinder cylindrical) near2 hollow near2 (cathode electrode) same (titanium vanadium yttrium zirconium niobium hafnium tantalum (zirconium titanium) with aluminum) with (coat$5 layer$5 jacket$5 film skin plating plated sublayer sub adj layer lamina$5 overcoat$4) and (cathode electrode) with closed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 14:02
S63	2	"5155411".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/29 15:43